PLANT AND SOIL

Contents Volume 304 Nos. 1–2 March 2008

Regular Articles

Effects of land use changes on the hydrological sustainability of mountain oases in northern Oman
E. Luedeling and A. Buerkert 1–20

Changes and availability of P fractions following 65 years of P application to a calcareous soil in a Mediterranean climate
D.T. Vu · C. Tang and R.D. Armstrong 21–33

Rhizosphere bacteria affect growth and metal uptake of heavy metal accumulating willows
M. Kuffner · M. Puschenreiter · G. Wieshammer · M. Gorfer and A. Sessitsch 35–44

Carbon-based secondary metabolites and internal nitrogen pools in *Populus nigra* under Free Air CO_2 Enrichment (FACE) and nitrogen fertilisation
Z.-B. Luo · C. Calfapietra · G. Scarascia-Mugnozza · M. Liberloo and A. Polle 45–57

Light affects competition for inorganic and organic nitrogen between maize and rhizosphere microorganisms
X. Xu · C.F. Stange · A. Richter · W. Wanek and Y. Kuzyakov 59–72

Combined effect of salinity and excess boron on plant growth and yield
U. Yermiyahu · A. Ben-Gal · R. Keren and R.J. Reid 73–87

Diversity in the genus *Melilotus* for tolerance to salinity and waterlogging
M.E. Rogers · T.D. Colmer · K. Frost · D. Henry · D. Cornwall · E. Hulm · J. Deretic · S.R. Hughes and A.D. Craig 89–101

Contrasting effects of resource availability and plant mortality on plant community invasion by *Bromus tectorum* L.
E.C. Adair · I.C. Burke and W.K. Lauenroth 103–115

Deficit and excess of soil water impact on plant growth of *Lotus tenuis* by affecting nutrient uptake and arbuscular mycorrhizal symbiosis
I. García · R. Mendoza and M.C. Pomar 117–131

Identification and characterization of a rhizosphere β-galactosidase from *Pisum sativum* L.
F. Wen · R. Celoy · I. Price · J.J. Ebolo and M.C. Hawes 133–144

Can zinc influence nutrient resorption? A test with the drought-deciduous desert shrub *Fouquieria splendens* (ocotillo)
K.T. Killingbeck 145–155

Shoot and root growth of hydroponic maize (*Zea mays L.*) as influenced by K deficiency
L. Jordan-Meille and S. Pellerin 157–168

Impact of phosphorus mineral source (Al–P or Fe–P) and pH on cluster-root formation and carboxylate exudation in *Lupinus albus* L.
M.W. Shane · H. Lambers · G.R. Cawthray · A.J. Kuhn and U. Schurr **169–178**

Impacts of litter and understory removal on soil properties in a subtropical *Acacia mangium* plantation in China
Y. Xiong · H. Xia · Z. Li · X. Cai and S. Fu **179–188**

Enhanced activity of introduced biocontrol agents in solarized soils and its implications on the integrated control of tomato damping-off caused by *Pythium* spp
J. Jayaraj and N.V. Radhakrishnan **189–197**

Amino acid uptake among wide-ranging moss species may contribute to their strong position in higher-latitude ecosystems
E.J. Krab · J.H.C. Cornelissen · S.I. Lang and R.S.P. van Logtestijn **199–208**

Long-term orchard groundcover management systems affect soil microbial communities and apple replant disease severity
A. St. Laurent · I.A. Merwin and J.E. Thies **209–225**

Differential inducible defense mechanisms against bacterial speck pathogen in *Arabidopsis thaliana* by plant-growth-promoting-fungus *Penicillium* sp. GP16-2 and its cell free filtrate
M.M. Hossain · F. Sultana · M. Kubota and M. Hyakumachi **227–239**

Uptake of carbon and nitrogen derived from carbon-13 and nitrogen-15 dual-labeled maize residue compost applied to radish, komatsuna, and chingensai for three consecutive croppings
A. Ebid · H. Ueno · A. Ghoneim and N. Asagi **241–248**

Recycling coffee and tea wastes to increase plant available Fe in alkaline soils
C.K. Morikawa and M. Saigusa **249–255**

Associations between arbuscular mycorrhizal fungi and *Rhynchrelyrum repens* in abandoned quarries in southern China
Y. Chen · J.-g. Yuan · Z.-y. Yang · G.-r. Xin and L. Fan **257–266**

Comparison of the bacterial communities established on the mycorrhizae formed on *Pinus thunbergii* root tips by eight species of fungi
R. Kataoka · T. Taniguchi · H. Ooshima and K. Futai **267–275**

Arsenate, arsenite and dimethyl arsinic acid (DMA) uptake and tolerance in maize (*Zea mays* L.)
M.H.H. Abbas and A.A. Meharg **277–289**

Silicon isotope fractionation in rice plants, an experimental study on rice growth under hydroponic conditions
L. Sun · L.H. Wu · T.P. Ding and S.H. Tian **291–300**

Nitrogen fertiliser rate and post-anthesis waterlogging effects on carbohydrate and nitrogen dynamics in wheat
D. Jiang · X. Fan · T. Dai and W. Cao **301–314**

The role of arbuscular mycorrhizas in improving plant zinc nutrition under low soil zinc concentrations: a review
T.R. Cavagnaro **315–325**

Available online
www.springerlink.com

Low-phosphorus induced proteoid-root clusters of *Lupinus albus* L. grown in quartz sand mixed with anion exchange resin. Sand grains and resin beads were tightly bound to the surface of rootlets by root hairs (Shane *et al.*, this volume). Large amounts of citrate (and some malate) were eluted from resin beads in contact with proteoid-root clusters. pp. 169–178